

This listing of claims will replace all prior versions, and listings, of claims in the application.

LISTING OF CLAIMS:

1. (Currently Amended) A method for mapping data from a data source to a data destination, comprising the steps:

providing a plurality of separate components for performing defined functions to map the data from the source to the destination, ~~said plurality of components performing~~ including the steps of

- i) using a first of the components for reading data from the data source,
- ii) using a second of the components for receiving the data from the first of the components and for processing the read data according to a set of rules, and
- iii) using a third of the components for receiving the data from the second of the components and for loading the processed data into the data destination;

wherein each of the components operates independently of the other of the components and each of the components can be modified, adjusted and replaced independently of the others of the components to facilitate mapping data from a plurality of different data sources into the data destination.

2. (Original) A method according to Claim 1, wherein the plurality of components perform the further steps of

- iv) verifying the integrity of the read data, and
- v) logging results into a file.

3. (Original) A method according to Claim 2, wherein a respective one of the components performs each of the steps (i) –(v).

4. (Original) A method according to Claim 1, wherein the data source is a flat file, and the data destination is a database. -

5. (Currently Amended) A method according to Claim [1] 2, wherein the plurality of components perform the further step of sending the results, by electronic mail, to a configured list of email addresses.

6. (Original) A method according to Claim 1, wherein the step of processing the read data includes the step of formatting the read data for placement in the data destination.

7. (Currently Amended) A ~~framework~~ system for mapping data from a data source to a data destination, comprising:

a plurality of separate components for performing defined functions to map the data from the source to the destination, said ~~functions~~ plurality of components including (i) a first component for reading data from the ~~data~~ source, (ii) a second component for receiving the data from the first component and for processing the read data according to a set of rules, and (iii) a second component for receiving the data from the first component and for loading the processed data into the ~~data~~ destination;

wherein each of the components operates independently of the other of the components and each of the components can be modified, adjusted and replaced independently of the others of the components to facilitate mapping data from a plurality of different data sources into the data destinations.

8. (Currently Amended) A ~~framework~~ system according to Claim 7, wherein the plurality of components perform the further functions of (iv) verifying the integrity of the read data, and (v) logging results into a file.

9. (Currently Amended) A ~~framework~~ system according to Claim 8, wherein a respective one of the components performs each of the functions (i) –(v).

10. (Currently Amended) A ~~framework~~ system according to Claim 7, wherein the data source is a flat file, and the data destination is a database.

11. (Currently Amended) A ~~framework~~ system according to Claim 7 ~~8~~, wherein the plurality of components perform the further function of sending the results, by electronic mail, to a configured list of email addresses.

12. (Currently Amended) A ~~framework~~ system according to Claim 7, wherein the function of processing the read data includes the function of formatting the read data for placement in the data destination.

13. (Currently Amended) A program storage device readable by machine, tangibly embodying a program of instructions executable by the machine to perform method steps for mapping data from a data source to a data destination, said method steps comprising:

establishing a plurality of separate components for performing defined functions to map the data from the source to the destination, ~~said plurality of components performing~~ including the steps of

- i) using a first of the components for reading data from the data source,
- ii) using a second of the components for receiving the data from the first of the components and for processing the read data according to a set of rules, and
- iii) loading the processed data into the destination['];

wherein each of the components operates independently of the other of the components.

14. (Original) A program storage device according to Claim 13, wherein the plurality of components perform the further steps of

- iv) verifying the integrity of the read data, and
- v) logging results into a file.

15. (Original) A program storage device according to Claim 14, wherein a respective one of the components performs each of the steps (i) –(v).

16. (Original) A program storage device according to Claim 13, wherein the data source is a flat file, and the data destination is a database.

17. (Currently Amended) A program storage device according to Claim ~~13~~ 14, wherein the plurality of components perform the further step of sending the results, by electronic mail, to a configured list of email addresses.

18. (Original) A program storage device according to Claim 13, wherein the step of processing the read data includes the step of formatting the read data for placement in the data destination.

19. (New) A method according to Claim 1, wherein the data destination is a database, and said step of providing a plurality of separate components includes the further step of using said plurality of components for mapping field length fields in the data source to the database;

for determining the start position, the length, what database column the fields map to, which database tables the fields map to, whether the fields can be updated or not, what kinds of formatting to be applied on the fields, for calling a formatter to reformat data from the data source, and for managing transactions by starting a transaction when a first record is read, and committing or rolling back a transaction when a defined record is encountered; and

wherein said method comprises the further step of a system administrator updating the components during the use of the components.

**This Page is Inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record.**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ **BLACK BORDERS**
- ☐ **IMAGE CUT OFF AT TOP, BOTTOM OR SIDES**
- ☐ **FADED TEXT OR DRAWING**
- ☐ **BLURRED OR ILLEGIBLE TEXT OR DRAWING**
- ☐ **SKEWED/SLANTED IMAGES**
- ☐ **COLOR OR BLACK AND WHITE PHOTOGRAPHS**
- ☐ **GRAY SCALE DOCUMENTS**
- ☐ **LINES OR MARKS ON ORIGINAL DOCUMENT**
- ☐ **REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY**
- ☐ **OTHER: _____**

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.